


Serie Standard (mm).

CORONA $\varnothing \leq 400$
 COURONNE $\varnothing \leq 400$



	Numero dei denti Nombre de dents	Corsa Course	Altezza di accoppiamento Hauteur de engrenement	N° fori di fissaggio Vis a tête cylindrique	N° fori per spina Logement de goupille	β	Ω	N° fori di strazione Vis de déblocage	α	d2	d3	d4	d5	d6	d7	d8	d9	d10	g1	h1	h2	h3	h4	h5	h6
										\varnothing	\varnothing h6	\varnothing	$\pm 0,1$	\varnothing	\varnothing	\varnothing	\varnothing	\varnothing		$\pm 0,1$		$\pm 0,1$			
ø50	24 36	3 2,5	2,8 2,3	4x90°	2x180°	45°	-	2x180°	45°	49	20	21	35	11	6.6	5	8	8	M6	20	11.4 11.15	10	8.5	4	4
ø100	36 48 60 72	4.2 3.4 2.8 2.4	4 3.2 2.6 2.2	6x60°	2x180°	30°	-	2x180°	30°	99	60	61	80	11	6.6	5	8	8	M6	25	14.5 14.1 13.8 13.6	12.5	9.5	5	5
ø125	36 48 60 72	4.2 4 3.5 3	4 3.8 3.3 2.8	6x60°	2x180°	30°	-	2x180°	30°	124	85	86	105	11	6.6	7	10	10	M6	30	17 16.9 16.65 16.4	15	12	5	5
ø160	48 60 72 96	4.2 4 3.6 2.8	4 3.8 3.4 2.6	6x60°	2x180°	30°	-	2x180°	30°	159	120	121	140	11	6.6	7	10	10	M6	30	17 16.9 16.7 16.3	15	12	6	5
ø200	60 72 96 120 144	4.7 4.4 3.4 2.8 2.3	4.5 4.2 3.2 2.6 2.1	6x60°	4x90°	30°	72°	2x180°	30°	199	150	151	175	15	9	7	12	12	M8	35	19.75 19.6 19.1 18.8 18.55	17.5	14	6	5
ø250	60 72 96 120 144 360	5.4 4.6 3.9 3.4 2.8 1.3	5.2 4.4 3.7 3.2 2.6 1.1	10x36°	4	54°	72°	2x180°	18°	249	200	201	225	15	9	7	12	12	M8	35	20.1 19.7 19.4 19.1 18.8 18.1	17.5	13.5	5	5
ø280	120 144 360	3.6 3.1 1.4	3.4 2.9 1.2	10x36°	4	54°	72°	2x180°	18°	279	230	231	255	15	9	7	12	12	M8	40	21.7 21.45 20.6	20	14	6	5.5
ø320	120 144 180 360	4.2 3.6 3 1.6	4 3.4 2.8 1.4	10x36°	4	54°	72°	2x180°	18°	319	260	261	290	15	9	7	12	12	M8	40	22 21.7 21.4 20.7	20	14.5	6.5	5.5
ø360	120 144 180 240 360	4.6 3.9 3.3 2.5 1.8	4.4 3.7 3.1 2.3 1.6	10x36°	4	54°	72°	2x180°	18°	359	300	301	330	18	11	9	12	12	M8	45	24.7 24.35 24.05 23.65 23.3	22.5	15	6	6 5.5 5.5 5
ø400	120 144 180 240 360	4.7 4.5 3.6 2.7 2	4.5 4.3 3.4 2.5 1.8	10x36°	4	54°	72°	2x180°	18°	399	340	341	370	18	11	9	12	12	M8	45	24.75 24.65 24.2 23.75 23.4	22.5	15	6	6 5.5 5.5 5